



INDEX

VARI ADJUST LOK-DOWN AND QUIK LOK PAGES 2-4

MOLDED WOOD PAGES 5-7

RESIDENTIAL PLASTIC PAGES 8-10

SPECIALTY WOOD PAGE 11

LIGHT COMMERCIAL PLASTIC PAGE 11

HEAVY DUTY COMMERCIAL PAGES 12-15

NATURAL WOOD PAGES 16-18

SOFT SEATS PAGE 19

COLOR REFERENCE PAGE 20

BRAND CROSS REFERENCE PAGES 21-22

For additional descriptions, nomenclature, dimensions and features go to: plumbtechseats.com YouTube: Plumbtechseats



TOP MOUNT SEATS FEATURING


Vari-Adjust[™] Release 'N' Clean[™] with Lok-Down[™] Hinge Technology

Release 'N' Clean™

Rotate the hinge cover cap up to quickly remove seat. To replace seat slide onto hinge pad and snap cover shut.



Vari-Adjust[™] Hinge with Lok-Down[™] Slide the seat back and forth for the perfect fit. Lok-Down[™] is a patent pending compression locking anchoring system that prevents the seat from moving and becoming loose.



Vari-Adjust[™], Lok-Down[™] and Release 'N' Clean[™] trademark owned by Plumbing Technologies, LLC.



Top Mount Vari-Adjust™ and Lok-Down™ Versus Bottom Mount Seats



Top Mount Seats are easily installed in 3-5 minutes with a screwdriver. The installation is done from the top where one may see their work.




Bottom mount seats require the use of a torqueing tool underneath the toilet bowl and screwdriver on top may require 10-15 minutes to install. Bottom mount seats are a blind application where one has to work without being able to easily see their hands.

Top Mount Vari-Adjust™ and Lok-Down™

Vari-Adjust[™] allows the seat to be adjusted backwards or forwards for the perfect fit on the toilet bowl.

Lok-Down™ is as a result of an integrated engineering design to minimize the two primary causes of seats becoming loose - flexing and movement.



Quik-LAK. PLUMBTECH

NEW

NO TOOLS QUIK-LOK TECHNOLOGY Currently available for most white builder, deluxe, and premium models. If in doubt please call for confirmation.

INCREASE PRODUCTIVITY





	Molded Wood P	ound Front Seats									
Top Mount Vari-Adjust Lok-Down Release'N'Clean Hinges											
Premium Slow Close Model 153	Builder Grade Slow Close Model 143	Premium Molded Wood Model 125	Builder Grade Molded Wood Model 105								
Quik-L <mark>a</mark> K		Quik-LaK									
		3 Year Limited Warranty!									
Colors: White 00, Bone 01, Biscuit 02 and Black 90	Colors: White 00 Year Limited Warranty!	Colors: White 00, Bone 01, Bis- cuit/Linen 02, Cotton White 04 and Classic Colors	Colors: White 00								
Top Mount Vari-Adjust Lok-Down Hinges	Solid Metal Hinges	Top Mount Vari-Adjust Lok-Do	own Hinges								
Eljer New Emblem Square Front Design Model 187	Premium Molded Wood Seat with Solid Metal Hinges Model 1C3R4	Deluxe Quality Molded Wood Seat Model 113 Quik-L <mark>P</mark> K	Deluxe Quality Molded OFWC Wood Seat Model 115								
Vear Limited Warranty! Colors: White 00, Bone 01 and	Vear Limited Warranty! Colors: White 00 with BN, CH	Vear Limited Warranty! Colors: White 00, Bone 01,	2 Year Limited Warranty! Colors: White 00								
Black 90	and OB and Black with CH	Biscuit/Linen 02 and Cotton White 04									

Top Mount Vari-Adjust Lok-Do	own Hinges	Top Mount Standard Adjustable Hinges	
Builder Grade Molded Wood Seat Model 103 Quik-LinK	Standard Molded Wood Seat Model 101QL Quik-LAK	Standard Molded Wood Seat Model 101	
Year Limited Warranty!	Year Limited Warranty!	Vear Limited Warranty!	
Colors: White 00	Colors: White 00	Colors: White 00, Bone 01, and Biscuit/Linen 02	

Molded Wood Elongated Seats										
Top Mount Vari-Adjust Lok-Down Release'N'Clean Hinges										
Premium Slow Close Model 154	Builder Grade Slow Close Model 144	Premium Molded Wood Model 126	Builder Grade Molded Wood Model 106							
Quik-LâK	Quik-LâK.	Quik-LinK.	Quik-Link.							
Colors: White 00, Bone 01, Biscuit 02 and Black 90	Colors: White 00	Colors: White 00, Bone 01,Colors: White 00, Biscuit/LineBiscuit/Linen 02, Cotton White0204 and Classic Colors02								
Top Mount Vari-Adjust Lok-Down Hinges	Solid Metal Hinges	Top Mount Vari-Adjust Lok-De	own Hinges							

Lok-Down Hinges	Sond Hetar Hinges		, and the geo
Eljier New Emblem Square Front Design Model 188	Premium Molded Wood Seat with Solid Metal Hinges Model 1C3E4	Deluxe Quality Molded Wood Seat Quik-LaK Model 114	Deluxe Quality Molded OFWC Wood Seat Model 116
2 Year Limited Warranty!	Year Limited Warranty!	Year Limited Warranty!	Year Limited Warranty!
Colors: White 00, Bone 01 and Black 90	Colors: White 00 with BN, CH and OB and Black with CH	Colors: White 00, Bone 01, Biscuit/Linen 02 and Cotton White 04	Colors: White 00


Top Mount Vari-Adjust Lok-Do	own Hinges	Top Mount Standard Adjustable Hinges	
Builder Grade Molded Wood Model 104 Quik-LinK	Standard Molded Wood Seat Model 102QL Quik-L in K	Standard Molded Wood Seat Model 102	
Vear Limited Warranty!	Year Limited Warranty!	Year Limited Warranty!	
Colors: White 00	Colors: White 00	Colors: White 00, Bone 01, and Biscuit/Linen 02	


PLUMBT	2	тм			Ρι	rod	uct	Fea	ture	es		
Molded Wood Features and Be	enefits (ompari	son:									
Feature & Benefit	Models 101/102 & 1C6R1 / 1C6E1	Models 101QL & 102QL	Models 103 / 104	Models 105 / 106	Models 113/114 & 1C3R2 / 1C3E2	Models 115 /116	Models 125/126 & 1C3R3 / 1C3E3	Models 1C3R4 / 1C3E4	Models 143 / 144	Models 153/154 1C3R6 / 1C3E6	Model 193	Models 187/188
Top Mount Hinge for ease of installation. Metal Hinge w/Metal Plating.	1	1	1	1	1	1	1	√	1	1	1	✓
Metal Finish Hinge. Adjustable Hinge for the perfect fit on an imperfect toilet bowl.	4	1	1	1	1	1	1	•	1	1	4	√
Self- Aligning and noncorrosive lock-in mounting hardware.	✓	1	1	1	✓	1	1	1	1	1	1	1
Non-skid pad premonted on hinge Quik-Lok Mounting Hardware		√ √	√	√ √	√ √		√ √		√ √	√ √		
Enamel Paint for durability and beauty. Odor & Stain Guard to extend life of the seat.	1	1	1	1	1	1	√ √	1	1	√	1	1
3 Coats of enamel paint with a sealer and a primer to extend life of seat.	✓	1	1									
4 Coats of enamel paint with a sealer and a primer to extend life of seat. Assembled with Stainless Steel Screws for		,	,	1	1	1	1	1	1	1	1	1
added durability and beauty. Release 'N' Clean feature for ease of cleaning the toilet.	✓	✓	✓	√	√	√	√	•	√	√	√	✓
Slow Close hinge to prevent slamming that may break the bowl and little ones fingers.									1	1		
UV Protection to maintain the brilliant color.	1	1	1	1	1	1	1	1	1	1	1	1
4 Bumpers on the ring to maximize stability and minimize seat loosening.	EL yes	EL yes	1	1	1	1	1	1	1	1	1	1
Color Coordinated bumpers. Color Coordinated hinges.	√ √	✓ ✓	√ √	√ √	✓ ✓	√ √	√ √	√ √	√ √	√ √	√ √	\checkmark
Meets ANSI Standards for Durability and Specifications.	1	1	1	1	1	1	1	✓	1	1	1	1
Cleans with warm soapy water.	√	√ 01	√ 0	√ 01	√ 0	√	√ 01	√	√ 0	√ 01	√	√
Installs with Phillips or slotted Screwdriver. Installs with mounting tool - included.	√	QL	QL	QL	QL	1	QL	√	QL	QL	√	√
Manufactured using recycled wood fiber.	1	1	1	1	1	1	1	1	√	1	1	1
Open Front Design						1						
Closed Front Design	1	1	√	1	✓		 ✓ 	1	√	1	√	✓

For complete list of nomenclature and features go to: plumbtechseats.com

Residential Plastic Round Front Seats										
Top Mount Vari-Adjust Lok- Down Hinges	Top Mount Vari-Adjust Lok- Down Release'N'Clean Hinges	Top Mount Vari-Adjust Lok-Down Release'N'Clean Hinges								
Premium Slow Close Family Seat Model 2C3R7-00 3 Year Limited Warranty!	Premium Slow Close Model 260 Quik-LaK	Premium Slow Close Model 253 Quik-LaK	Builder Grade Slow Close Model 240 Quik-L <mark>a</mark> K.							
			Year Limited Warranty!							
Colors: White 00 Bone 01, and Biscuit/Linen 02	Colors: White 00, Bone 01, Biscuit 02 and Cotton White 04	Colors: White 00, Bone 01 and Biscuit/Linen 02	Colors: White 00, Bone 01, Biscuit/Linen 02, Cotton White 04 and Classic Colors							









				TM									
PLUME		2	5			F	Proc	duc'	t Fe	atu	res	I	
Residential and Light Comme	ercial P	lastic F	eatures	and Be	nefits C	ompari	son:						
Feature & Benefit	Models 201/202	Models 203 /204	Models 205 / 206	Model 212/213	Model 224/225	Models 320 / 321	Models 230 / 231 & 2C3R3 / 2C3E3		Models 253 / 254 & 2C3R5 / 2C3E5		Models 2C3R7-00 / 2C3E7- 00	Model 271	Model 371
Top Mount Hinge for ease of installation.	1	1	1	1	1	1	1	1	1	1	1	1	1
Closed Front Design	1	1	1	√	✓		1	1	1	1	1	√	
Open Front Design						1							✓
Adjustable Hinge for the perfect fit on an imperfect toilet bowl.		1	1	1	1	1	1	1	1	1	1	1	1
Quik-Lock Mounting Hardware		1	√	√	√		1	1		1			
Non-Skid Pads preassembled		1	✓	1			√	√	✓	1			
Self- Aligning and noncorrosive lock-in mounting hardware.	✓	1	1	1	✓	1	1	1	✓	√	1	✓	✓
Accepts Optional 304 Stainless Steel				/	1	,		,	,	,	1		
Hinge Post model 200HPSS 100% Virgin Polypropylene for durability			 ✓ ✓ 	√ √	✓ ✓	√	 ✓ ✓ 	✓	✓ ✓	✓	√	✓ ✓	 ✓ ✓
and brightness of color		1	1	1	√	✓	√	✓	✓	√	1	√	✓
Release 'N' Clean feature for ease of cleaning the toilet.			1				1	1	1	1			
Slow Close hinge to prevent slamming that may break the bowl and little ones fingers.					√			1	1	1	1	√	1
UV Protection to maintain the brilliant color.	1	1	1	1	✓	1	1	1	1	1	1	1	✓
Built in bumpers on the ring to maximize stability and minimize seat loosening.	1	1	1	1	1	1	1	1	1	1	1	1	1
Color Coordinated bumpers.	√	√	√	√	√	√	√	√	√	√	1	√	√
Color Coordinated hinges.	√	√	✓	√	√	✓	√	✓	✓	√	1	√	✓
Meets ANSI Standards for Durability and Specifications.			1	1	1	1	1	1	1	1	1	1	1
Cleans with warm soapy water.	√	√	√	√	✓	√	√	√	√	√	√	√	✓
Installs with Phillips or slotted screwdriver.	QL	QL	QL	QL	QL	1	QL	QL	1	QL	1	✓	1

For complete list of nomenclature and features go to: plumbtechseats.com

Light	Commercial Plastic Elongated	Seats					
Top Mount Vari-Adjust Hinges	Stainless Steel Self-Sustaining Check Hinge	Top Mount Vari-Adjust Lok-Down Hinges					
Premium Slow Close Model 371	Heavy Duty Commercial Open Front with Cover Model 333SSC	Deluxe Model 321					
Colors: White 00	Colors: White 00 Hinges: 304 Stainless Steel Self-Sustaining Check	Colors: White 00, Bone 01, Biscuit/Linen 02 and Black 90					
Light C	ommercial Plastic Round From	nt Seats					
Top Mount Vari-Adjust Lok-Down Hinges	304 Stainless Steel Mounting Hardware						
Deluxe Model 320	for Top Mount Seats Model 200HPSS						



1 Year Limited

C	ommercial Open Front	Less Cover Plastic Sea	ats			
Elongated						
Slow Close Hinge	Check Hinge	Self-Sustaining Check Hinge	Check Hinge			
Heavy Duty Commercial Slow Close Model 451C	Extra Heavy Duty with Check Model 431C	Extra Heavy Duty with Self- Sustaining Check Model 431SSC	Heavy Duty with Lift Handles and Check Model 423C			
2 Year Limited	3 Year Limited	3 Year Limited	3 Year Limited			
Warranty! Colors: White 00 Available with Anti-Microbial 304 Stainless Steel Hinges	Warranty! Colors: White 00 304 Stainless Steel Hinges	Warranty! Colors: White 00 & Black 90 Available with Anti-Microbial and Fire Retardent 304 Stainless Steel Hinges	Warranty! Colors: White 00 304 Stainless Steel Hinges			
Self-Sustaining Check Hinge	Check Hinge	Self-Sustaining Check Hinge	Self-Sustaining Check Hinge			
Heavy Duty with Lift Handles and Check Model 423SSC	Heavy Duty with Check Model 421C Quik-L <mark>B</mark> K	Heavy Duty with Self- Sustaining Check Model 421SSC	Heavy Duty Juvenile with Self- Sustaining Check Model 461SSC-00AM			
Tear Limited Warranty! Colors: White 00 Available with Anti-Microbial 304 Stainless Steel Hinges	Year Limited Warranty! Colors: White 00 304 Stainless Steel Hinges	Year Limited Warranty! Colors: White 00 & Black 90 Available with Anti-Microbial and Fire Retardent 304 Stainless Steel Hinges	Year Limited Warranty! Colors: White 00 304 Stainless Steel Hinges			
Check Hinge	Check Hinge	Self-Sustaining Check Hinge	Check & Check/Self Sustaining			
Heavy Duty Commercial OFLC with Non-Corrosive Check Hinge Model 403C Quik-LinK	Heavy Duty Commercial OFLC with Non-Corrosive Metal tCheck Hinge Model 411C	Heavy Duty OFLC Round with 304 Stainless Steel Self- Sustaining Check Model 420SSC	Standard Duty Commercial OFLC with Stainless Steel Check Hinge Model 407C - Check Hinge Model 407SSC - Self Sustaining Check Hinge Quik-LinK.			
1 Year Limited Warranty!	1 Year Limited Warranty!	Year Limited Warranty!	Year Limited Warranty!			
Colors: White 00 Steel Hinges with Dacroment Polymer	Colors: White 00 Plastic Hinges	Colors: White 00 304 Stainless Steel Hinges	Colors: White 00 Staineless Steel Hinges			



Handicapped Commercial Extra Heavy Duty Open Front Less Cover with 2" lift. 304 Stainless Steel Self-Sustaining check hinge and antimicrobial. Complies with ANSI Standard Z124.5 Section 5.1.2

Model 432SSC-00AM

Quik-LaK



"Why pay more for less quality and features?"

TOILET SEAT MODELS FEATURING



Heavy Duty White EL w/ Lift Handles w/304 Stainless Steel Check hinge, and Self Sustaining Wing Check Hinge



Heavy Duty Commercial OFWC[™] White EL Seats w/Lift Handles



PLUP							тм											
Heavy Duty & Extra Heavy Du	uty Co	mmer	cial Pla	istic Fe	atures	and Be	nefits C	Compar	ison:									
, , , ,								Model	Model	Model		Model			Model		Model	Mode
Feature & Benefit	Model 403C	Model 411C	Model 407C	Model 407SSC	Model 420SSC	Models 421C	Model 421SSC	421SSC- 00AM	421SSC- 00FR	421SSC- 00AMFR	Model 423C-00	423SSC- 00	Model 431C	Model 431SSC	431SSC- 00AM	Model 451C	432SSC 00AM	
304 Stainless Steel Hinge Post and																		
Mounting Hardware					✓	✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	√	✓
Stainless Steel Hinge			✓	✓														
Lift Handles											✓	✓						
Polymer Plated Steel Hinge Post and Non-		1																
Corrosive Mounting Hardware		v																<u> </u>
Non -Corrosive Mounting Hinge Post and Hardware	1																	
2" Lift for ADA																	✓	
Contoured Ring to direct liquid/water into bowl and minimize pinched nerves.	1	1			1	1	1	1	1	1	1	1	1	1	1	1	1	1
Open Front Design to minimize potential																		1
damage to flush valves.	√	√	✓	 ✓ 	√	√	 ✓ 	 ✓ 	✓	 ✓ 	 ✓ 	√	 ✓ 					
Check Hinge - stops at 6-11 degrees past																		
90 degrees to minimize damage to flush valves.	1	1	1	1	1	1	1	1	1	✓	✓	1	1	1	1	1	1	1
Self-Sustaining Hinge - minimizes risk or																		1
ability to slam the seat and break the viterous china.				1	✓		1	1	✓	1		1		1	✓		1	1
Slow Close hinge to prevent slamming that may break the bowl.																1		
Quik-Lok™ Mounting Hardware			✓	✓		1												
Anti-Microbial Ingredient to retard																		
growth of odor & stain causing bacteria.								√		√					√		✓	✓
Fire Retardant ingredient to meet 94VO flammability rating.									1	1								
Anti-Movement Bushing to minimize																		
movement and possible loosening.		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	√	✓	✓	✓
100% Virgin Polypropylene for durability and brightness of color.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
UV Protection to maintain the brilliant color.	1	1	1	1	1	1	1	1	1	1	1	1	✓	1	1	1	1	1
Built in bumpers on the ring to maximize	· •		1	✓	· ✓	· ✓	✓	· ✓	1	· ✓		1	1	√		1	·	·
stability and minimize seat loosening.	▼ √	▼ √		▼ √	▼ ✓	▼ ✓	▼ √	▼ √	▼ √	▼ √	▼ √	▼ √		▼ √		▼ √	• 	▼ √
Color Coordinated bumpers.	▼ √	./	▼ √	▼ √	▼ √	▼ ✓	▼ √	▼ √	▼ √	▼ √	▼ √	▼ ✓	•	▼ √	· · /	∨ √	./	▼ ✓
Color Coordinated hinges.	*	V	v	v	v	v	V	¥	¥	V	v	v	V	V	•	Y	√	v
Meets ANSI Standards Z124.5 Section 5.1.2 for Durability and Specifications.	✓	1	✓	✓	✓	1	✓	✓	✓	1	✓	1	✓	✓	✓	1	1	1
Cleans with warm soapy water.	√	✓	✓	✓	✓	√	√	√	√	√	√	√	✓	√	√	√	✓	√
Installs with wrench.	QL	✓	QL	QL	✓	QL	✓	✓	✓	✓	✓	1	✓	✓	✓	✓	QL	1
Hinges are tucked under the seat for safety and comfort.		1			1	1	1	1	1	1	1	1	✓	1	✓	1	1	1

PLUMBTECH

BATHDECOR™ RELEASE'N'CLEAN METAL HINGE FINISH



Brushed Nickel



Chrome



Polished Brass





Oil Rubbed Bronze

BATHDECOR[™] SOLID WOOD SEATS WITH NATURAL WOOD LAMINATES AND METAL FINISH WITH RELEASE'N' CLEAN HINGES (5C3R1 & 5C3E1)



15 Classic American Red Cherry 5C3R1-15CH/5C3E1-15CH



17 Natural Oak Finish 5C3R1-17BN,BR, or CH 5C3E1-17BN,BR, or CH



18 Dark Brown Oak 5C3R1-18BN/5C3E1-18BN



20 Rattan Bamboo 5C3R1-20BN/5C3E1-20BN

BATHDECOR[™] NATURAL WOOD SEAT COLORS/FINISHES

PREMIUM TRADITIONAL DESIGN SOLID WOOD WITH METAL HINGE FINISH CHOICES (5B3R3 OR 5B3E3) ASSEMBLY REQUIRED

Choose wood finish and hinge finish. (Hinges must be installed on seat. Screw driver required.)

15 American Cherry (stain)

16 Mahogany (stain)





5B3R3-15CH 5B3E3-15CH AB/CH/OB/PB AB/CH/OB/PB

18 Dark Brown (stain)



Elongated

5B3R3-18CH AB/CH/OB/PB



AB/CH/OB/PB



Round 5B3R3-16CH AB/CH/OB/PB



5B3E3-16CH AB/CH/OB/PB

17 Natural Oak

Round 5B3R3-17CH AB/CH/OB/PB



Bath DÉCOR

Elongated 5B3E3-17CH AB/CH/OB/PB

BATHDECOR[™] SOLID METAL HINGE - TRADITIONAL DESIGN FOR MODELS 5B3R3, 5B3E3, 5C3R2, AND 5C3E2 FULLY ASSEMBLED. CHOOSE WOOD FINISH AND HINGE FINISH.

HINGES MUST BE INSTALLED ON THE SEAT WITH A STANDARD SCREWDRIVER.



Antique Brass

Model 191AB



Brushed Nickel

Model 192BN





Chrome Model 194CH



Oil Rubbed Bronze Model 1950B

BATHDECOR™ SOLID WOOD SEATS WITH NATURAL WOOD LAMINATES AND SOLID METAL HINGES (5C3R2 AND 5C3E2) **FULLY ASSEMBLED**

Model 193BR



5C3R2-17BN

17 Natural Oak



5C3E2-17BN



Round 5C3R2-17CH



Elongated 5C3E2-17CH

plumbtechseats.com

17

PLUMBTECH

BATHDECOR[™] METAL FINISH RELEASE'N'CLEAN HINGE FINISHES (5B2R5 OR 5B2E5) FULLY ASSEMBLED





Round Elongated **5B2R5-15CH 5B2E5-15CH** 15CH Classic American Cherry





Round Elongated 5B2R5-16CH 5B2E5-16CH 16CH Classic Mahogany





RoundElongated5B2R5-17CH5B2E5-17CH17CH Natural American Red Oak





5B2R5-18CH 5B2E5-18CH 18CH Dark Brown






5B2R5-19CH 5B2E5-19CH 19CH Black Walnut



Soft Seats	
Round Front	
Top Mount Vari-Adjust Lok-Down Release'N'Clean Hinges	Top Mount Slow Close Vari-Adjust Lok-Down Release'N'Clean Hinges
Soft Seats with Solid Wood Cores Model 6C3R2	Slow Close Soft Seat with Solid Wood Core Model 6C3R3
Colors: White 00, Bone 01, Pink 21, Claret 25, Blue 41, Hunter Green 60 and Black 90	Color: White 00

Elongated	
Top Mount Vari-Adjust Lok-Down Release'N'Clean Hinges	Top Mount Slow Close Vari-Adjust Lok- Down Release'N'Clean Hinges
Soft Seats with Solid Wood Cores Model 6C3E2	Slow Close Soft Seat with Solid Wood Core Model 6C3E3
	ture training
Colors: White 00 and Bone 01	Color: White 00



PLUMBTECH



BATHDECOR[™] AND PLUMBTECH COLOR REFERENCE Colors match toilets produced by major viterous china mfg

COLORS FOR MOLDED WOOD AND PLASTIC SEATS



PLUMBTECH	ſM	Cross Refe	rence Chart						
Jpdated 5/8/2023									
PLUMBTECH	Bemis / Beneke	Church	Centoco	AmSTD	Comfort	Kohler	TOTO	Mainline	ProFlow
Residential Plas	tic CFWC and Slow	Close							
201	400TM	400TM	1200		U1005			ML70	
202	500TM	500TM	1600		U1006			ML170	
203	70	70	200		U1007 / C1010			ML800	PFTSE1000WH
204	170	170	600		U1008 / C1011			ML1800	PFTSE2000WH
205						K-4775-0			PFTSHEC1000
206									PFTSHEC2000
210			200						
211			600						
212/220	7300EC	3EC		5322		K-4775			
213/223	17300EC	130EC		5324		K-4774			PFTSHEC2000
		3TT			C8032	K-4775		1	
		130TT		+	C8033	K-4774		1	
224		10011		+	C1006S	1, 1, 1, 1		1	
225	1	1		+ +	C1007S	1 1		1	1
230	200EC	300TCEC		<u> </u>	0.0010	K-4662-0		1	1
231	1200EC	380EC				K-4688			
230	200TT	300TCTT	440TM			K4662			
230	1200TT	380TT	440ST			114002			
201	120011	320TL	44001			K4660			
231	1100TT	380TL	800TM			K-7315-0			
201	1900	383SS	800ST			11-1010-0			
	1300	290TL	00001			K4650			
240	730SLEC	730SLEC	3700SC	5022A	C1210S	K-20111-0			
240	7300SLEC	7300SLEC	3800SC	5022A	C12103	K-20110-0			PFTSSCE2000
253	100 E2	73003LEC	1400SC	5345	C1606S	K-78052-0		Lucent 200	FF1330E2000
253	1100 E2		1700SC	5350	C2200S	K-4636-0		Lucent 1200	
260	200 E4	300Slow	170030	5345	022003	K-4639	SS113	Lucent 1200	
260	1200 E4	380Slow		5350		K-4636	SS113 SS114		
201	1200 E4	300310W		5350		K-4008-0	SS114 SS154		
271	7900TDSL	7900TDSL			C8019S	K-4636	SS204		
273	1900TDSL				C00193	K-4030			
213	190022	383SS		├			SS214 SS224	1	
2C3R7-00	485 E4	485 E4				+	33224	1	
2C3R7-00 2C3E7-00	485 E4 1485 E4	485 E4 1485 E4				+		1	
20321-00	1400 ⊑4	1400 E4			C1508S	+		1	
281	124-0205	<u> </u>			C1050S	+		1	
201	124-0200	<u> </u>			010000	+			
PLUMBTECH	Bemis	Church	Centoco	AmSTD	Comfort	Kohler	тото	Mainline	ProFlow
	ial - OFWC, Slow Clo			-			1010		
	1855TT	135TT	800TM		C102C	+			
320	75	75	220		C8032-O				
321	175	175	620	<u> </u>	C8033-O				
320	850TT	35TT	020	<u> </u>	00000-0				
320	1850TT	135TT		<u> </u>				1	PFTSCOFC2000W
021	950	10011	460TM					1	1 10001 020000
333SSC	1950	293SS	820TM	5325		K-4650	SC134	1	
371	1950	29355 390TL	020110	0020	C8019-OS	N-4000	30134		

PLUMBTECH	M	Cross Refe	erence Chart						
Updated 5/8/2023							TOTO		
PLUMBTECH	Bemis	Church	Centoco	AmSTD	Comfort	Kohler	тото	Mainline	ProFlow
	FWC, Self Sustainir	ng, Check, A		ire Retardant					
401 403C			630 630		C104C				
403C 407C	1055C	255C	030			-			
407SSC	1055SSC	255SSC							
420C	955C	397C	300CC		C105C	K4680			
420SSC	955SSC	397SSC	300SSCC		C105SSC	K4680SS			
	2055C	2055C			C105CAM	K4680-C-A			
	2055SSC	2055SSC			C105SSCAM				
411C			500CC		C106CHPM				
421C	1955C	295C	500STSCC	5901-100SS	C106C	K4670C			PFTSCOFE2000WH
421SSC	1955SSC 2155C	295SSC 2155C	500STSCCSS	5901-100 5901-110	C106SSC C06CAM	K4670CS0 K4670-C-A			PFTSCOF2000WH
421SSC-00AM	2155SSC	2155C		5901-110	C106SSCAM	K4070-C-A			
421330-00AM	1955CFR	2100000			C106CFR	14731-CA			
421SSC-00FR	1955SSCFR	1955SSCFR			C106SSCFR				
12100000111	1955CFR	1955CFR			C106CAMFR				
421SSC-00AMFR	1955SSCFR				C106SSCAMFR				
423C-00						K-4731-C-0			
423SSC-00						K-4731-SC-0			
431C	1655C	9500C	1500STSCC	5905-100	C108C	K-4680-C-0	SC534		DETOCOTION
431SSC	1655SSC	9500SSC	1500STSCCSS	5005 110	C108SSC	K-4666-SC-0		<u> </u>	PFTSCOFH2000WH
431SSC-00AM	3155C 3155SSC	3155C 3155SSC		5905-110	C108CAM C108SSC	K4666-S-A			
43155C-00AM	9400KC	9400KC		5910-100	C10855C	K-4680-CA-0			
	9400KC 9400KSSC	9400KC 9400KSSC		3310-100	C110SSC	N-4000-0A-0		1	
	800B	3B		<u>├</u>	0110000	-		1	
	0008	05		5910-110	C110CAM				
					C110SSCAM				
432SSC-00AM	2L2155T	2L2155T							
461SSC-00AM	1580C	BB955C	2300CC	5001G	C100BBSSCAM	K4686			
451-00					C106CEZ-00	_			
281	1620TT	285	EMB201	124-0205	C1050				
201									
201	1625C	9525C	EMB601	125-0355	C1050-O				
	1625C	9525C	EMB601	125-0355	C1050-O	Kohlar	τοτο	Mainlina	BroElow
PLUMBTECH	1625C Bemis					Kohler	тото	Mainline	ProFlow
PLUMBTECH Wood - CFWC, C	1625C Bemis DFWC, Slow Close	9525C Church	EMB601 Centoco	125-0355	C1050-O Comfort	Kohler	тото		
PLUMBTECH Wood - CFWC, C 101	1625C Bemis	9525C	EMB601	125-0355	C1050-O	Kohler	тото	ML400	ProFlow PFTSWE1000WH
PLUMBTECH Wood - CFWC, C 101 101QL	1625C Bemis DFWC, Slow Close 400	9525C Church 400	EMB601 Centoco 4300	125-0355	C1050-O Comfort C001WD		ΤΟΤΟ	ML400 ML425	PFTSWE1000WH
PLUMBTECH Wood - CFWC, C 101 101QL 102	1625C Bemis DFWC, Slow Close	9525C Church	EMB601 Centoco	125-0355	C1050-O Comfort	K-4712-T-0	ΤΟΤΟ	ML400 ML425 ML1400	
PLUMBTECH Wood - CFWC, C 101 101QL 102 102QL	1625C Bemis DFWC, Slow Close 400	9525C Church 400 1400	EMB601 Centoco 4300	125-0355 AmSTD	C1050-O Comfort C001WD C002WD	K-4712-T-0	ΤΟΤΟ	ML400 ML425	PFTSWE1000WH PFTSWE2000WH
PLUMBTECH Wood - CFWC, C 101 101QL 102	1625C Bemis DFWC, Slow Close 400 1400 500TTT	9525C Church 400	EMB601 Centoco 4300	125-0355	C1050-O Comfort C001WD C002WD U003WD	K-4712-T-0 K-4649-0	ΤΟΤΟ	ML400 ML425 ML1400	PFTSWE1000WH
PLUMBTECH Wood - CFWC, C 101 101QL 102 102QL 103	1625C Bemis DFWC, Slow Close 400 1400	9525C Church 400 1400 540TT	EMB601 Centoco 4300	125-0355 AmSTD 5308	C1050-O Comfort C001WD C002WD	K-4712-T-0	тото	ML400 ML425 ML1400	PFTSWE1000WH PFTSWE2000WH PFTSW1000
PLUMBTECH Wood - CFWC, C 101 101QL 102 102QL 103 104	1625C Bemis DFWC, Slow Close 400 1400 500TTT 1500TT	9525C Church 400 1400 540TT 585TT	EMB601 Centoco 4300	125-0355 AmSTD 5308	C1050-O Comfort C001WD C002WD U003WD U004WD	K-4712-T-0 K-4649-0 K-4648-0	тото	ML400 ML425 ML1400 ML1425	PFTSWE1000WH PFTSWE2000WH PFTSW1000 PFTSW2000
PLUMBTECH Wood - CFWC, C 101 101QL 102 102QL 103 104 105 106 113	1625C Bemis DFWC, Slow Close 400 1400 500TTT 500TT 500EC 1500EC 500PRO	9525C Church 400 1400 540TT 585TT 540EC 585EC 540TT	EMB601 Centoco 4300	125-0355 AmSTD 5308	C1050-O Comfort C001WD C002WD U003WD U004WD C023WD	K-4712-T-0 K-4649-0 K-4648-0 K-4816 K-5814 K-4716T	ΤΟΤΟ	ML400 ML425 ML1400 ML1425 ML525EC	PFTSWE1000WH PFTSWE2000WH PFTSW1000 PFTSW2000 PFTSWEC1000
PLUMBTECH Wood - CFWC, C 101 101QL 102 102QL 103 104 105 106	1625C Bemis DFWC, Slow Close 400 1400 500TTT 1500TT 500EC 1500EC 500PRO 544CH	9525C Church 400 1400 540TT 585TT 540EC 585EC	EMB601 Centoco 4300 4400	125-0355 AmSTD 5308	C1050-O Comfort C001WD C002WD U003WD U004WD C023WD C023WD	K-4712-T-0 K-4649-0 K-4648-0 K-4816 K-5814	тото	ML400 ML425 ML1400 ML1425 ML525EC ML525EC	PFTSWE1000WH PFTSWE2000WH PFTSW1000 PFTSW2000 PFTSWEC1000
PLUMBTECH Wood - CFWC, C 101 101QL 102 102QL 103 104 105 106 113 1C3R4-CH	1625C Bemis DFWC, Slow Close 400 1400 500TTT 1500TT 500EC 1500EC 500PRO 544CH 544BR	9525C Church 400 1400 540TT 585TT 540EC 585EC 540TT	EMB601 Centoco 4300 4400	125-0355 AmSTD 5308	C1050-O Comfort C001WD C002WD U003WD U004WD C023WD C023WD	K-4712-T-0 K-4649-0 K-4648-0 K-4816 K-5814 K-4716T	тото	ML400 ML425 ML1400 ML1425 ML525EC ML525EC	PFTSWE1000WH PFTSWE2000WH PFTSW1000 PFTSW2000 PFTSWEC1000
PLUMBTECH Wood - CFWC, C 101 101QL 102 102QL 103 104 105 106 113 1C3R4-CH 1C3R4-BN	1625C Bemis DFWC, Slow Close 400 1400 500TTT 1500TT 500EC 1500EC 500PRO 544CH 544BR 544BR	9525C Church 400 1400 540TT 585TT 540EC 585EC 540TT 960	EMB601 Centoco 4300 4400 700	125-0355 AmSTD 5308	C1050-O Comfort C001WD C002WD U003WD U004WD C023WD C023WD C024WD C013WD	K-4712-T-0 K-4649-0 K-4648-0 K-4816 K-5814 K-4716T K-4726-T	тото	ML400 ML425 ML1400 ML1425 ML525EC ML1525EC ML525PRO	PFTSWE1000WH PFTSWE2000WH PFTSW1000 PFTSW2000 PFTSWEC1000
PLUMBTECH Wood - CFWC, C 101 101QL 102 102QL 103 104 105 106 113 1C3R4-CH 1C3R4-BN 114	1625C Bemis DFWC, Slow Close 400 1400 500TTT 1500TT 500EC 1500EC 500PRO 544CH 544BR 544BN 1500PRO	9525C Church 400 1400 540TT 585TT 540EC 585EC 540TT 960 585TT	EMB601 Centoco 4300 4400	125-0355 AmSTD 5308	C1050-O Comfort C001WD C002WD U003WD U004WD C023WD C023WD	K-4712-T-0 K-4649-0 K-4648-0 K-4816 K-5814 K-4716T K-4726-T K-4712-T	тото	ML400 ML425 ML1400 ML1425 ML525EC ML525EC	PFTSWE1000WH PFTSWE2000WH PFTSW1000 PFTSW2000 PFTSWEC1000
PLUMBTECH Wood - CFWC, C 101 101QL 102 102QL 103 104 105 106 113 1C3R4-CH 1C3R4-BN	1625C Bemis DFWC, Slow Close 400 1400 500TTT 500EC 1500EC 500PRO 544CH 544BR 544BR 1500PRO 1544CH	9525C Church 400 1400 540TT 585TT 540EC 585EC 540TT 960	EMB601 Centoco 4300 4400 700	125-0355 AmSTD 5308	C1050-O Comfort C001WD C002WD U003WD U004WD C023WD C023WD C024WD C013WD	K-4712-T-0 K-4649-0 K-4648-0 K-4816 K-5814 K-4716T K-4726-T	тото	ML400 ML425 ML1400 ML1425 ML525EC ML1525EC ML525PRO	PFTSWE1000WH PFTSWE2000WH PFTSW1000 PFTSW2000 PFTSWEC1000
PLUMBTECH Wood - CFWC, C 101 101QL 102QL 103 104 105 106 113 1C3R4-CH 114 1C3E4-CH	1625C Bemis DFWC, Slow Close 400 1400 500TTT 1500TT 500EC 1500EC 500PRO 544CH 544BR 1500PRO 1544CH 1500PRO 1544CH	9525C Church 400 1400 540TT 585TT 540EC 585EC 540TT 960 585TT	EMB601 Centoco 4300 4400 700	125-0355 AmSTD 5308	C1050-O Comfort C001WD C002WD U003WD U004WD C023WD C023WD C024WD C013WD	K-4712-T-0 K-4649-0 K-4648-0 K-4816 K-5814 K-4716T K-4726-T K-4712-T	TOTO	ML400 ML425 ML1400 ML1425 ML525EC ML1525EC ML525PRO	PFTSWE1000WH PFTSWE2000WH PFTSW1000 PFTSW2000 PFTSWEC1000
PLUMBTECH Wood - CFWC, C 101 101QL 102 102QL 103 104 105 106 113 1C3R4-CH 1C3R4-BN 114	1625C Bemis DFWC, Slow Close 400 1400 500TTT 500EC 1500EC 500PRO 544CH 544BR 544BR 1500PRO 1544CH	9525C Church 400 1400 540TT 585TT 540EC 585EC 540TT 960 585TT	EMB601 Centoco 4300 4400 700	125-0355 AmSTD 5308	C1050-O Comfort C001WD C002WD U003WD U004WD C023WD C023WD C024WD C013WD	K-4712-T-0 K-4649-0 K-4648-0 K-4816 K-5814 K-4716T K-4726-T K-4712-T	TOTO	ML400 ML425 ML1400 ML1425 ML525EC ML1525EC ML525PRO	PFTSWE1000WH PFTSWE2000WH PFTSW1000 PFTSW2000 PFTSWEC1000
PLUMBTECH Wood - CFWC, C 101 101QL 102 102QL 103 104 105 106 113 1C3R4-CH 1C3R4-BN 114 1C3E4-CH 1C3E4-CH	1625C Bemis DFWC, Slow Close 400 1400 500TTT 1500TT 500EC 1500EC 500PRO 544CH 544BR 1500PRO 1544CH 1544BR 1544BR	9525C Church 400 1400 540TT 585TT 540EC 585EC 540TT 960 585TT 1960	EMB601 Centoco 4300 4400 700	125-0355 AmSTD 5308	C1050-O Comfort C001WD C002WD U003WD U004WD C023WD C024WD C013WD C014WD	K-4712-T-0 K-4649-0 K-4648-0 K-4816 K-5814 K-4716T K-4716T K-4726-T K-4712-T K-4722-T	TOTO	ML400 ML425 ML1400 ML1425 ML525EC ML1525EC ML525PRO	PFTSWE1000WH PFTSWE2000WH PFTSW1000 PFTSW2000 PFTSWEC1000
PLUMBTECH Wood - CFWC, C 101 101QL 102 102QL 103 104 105 106 113 1C3R4-CH 1C3R4-CH 1C3R4-CH 1C3E4-CH 1C3E4-CH 1C3E4-BN 115	1625C Bemis DFWC, Slow Close 400 1400 500TTT 1500TT 500EC 1500EC 1500EC 500PRO 544CH 544BR 1500PRO 1544CH 1544BR 1544BR 1544BR	9525C Church 400 1400 540TT 585TT 540EC 585EC 585EC 540TT 960 585TT 1960 585TT	EMB601 Centoco 4300 4400 700	125-0355 AmSTD 5308	C1050-O Comfort C001WD C002WD U003WD U004WD C023WD C024WD C013WD C014WD C013WD-O	K-4712-T-0 K-4649-0 K-4648-0 K-4816 K-5814 K-4716T K-4716T K-4726-T K-4712-T K-4722-T K-4712-T K-4712-T	TOTO	ML400 ML425 ML1400 ML1425 ML525EC ML1525EC ML525PRO	PFTSWE1000WH PFTSWE2000WH PFTSW1000 PFTSW2000 PFTSWEC1000
PLUMBTECH Wood - CFWC, C 101 101QL 102 102QL 103 104 105 106 113 1C3R4-CH 1C3R4-CH 1C3E4-CH 1C3E4-CH 1C3E4-CH 115 116 131-00 143-00	1625C Bemis FWC, Slow Close 400 1400 500TTT 1500TT 500EC 1500EC 500PRO 544CH 544BR 544BR 1500PRO 1544CH 1544BR 1504BR 1545BR 1555TT/1550PRO	9525C Church 400 1400 540TT 585TT 540EC 585EC 585EC 585EC 585TT 1960 585TT 1960 595 3000TT 640	EMB601 Centoco 4300 4400 700 900 900 700SC	125-0355 AmSTD 5308	C1050-O Comfort C001WD C002WD U003WD U004WD C023WD C024WD C013WD C013WD C014WD C014WD C014WD-O U3000WD C013WDS-00	K-4712-T-0 K-4649-0 K-4648-0 K-4648-0 K-4816 K-5814 K-4716T K-4716T K-4726-T K-4722-T K-4722-T K-4712-T K-4714-T K-4710 K-20455-0	TOTO	ML400 ML425 ML1400 ML1425 ML525EC ML1525EC ML525PRO ML1525PRO	PFTSWE1000WH PFTSWE2000WH PFTSW1000 PFTSW2000 PFTSWEC1000
PLUMBTECH Wood - CFWC, C 101 101QL 102 102QL 103 104 105 106 113 1C3R4-CH 1C3R4-CH 1C3E4-CH 1C3E4-CH 1C3E4-CH 115 116 131-00 143-00 144-00	1625C Bemis DFWC, Slow Close 400 500TTT 1500TT 500EC 1500EC 500PRO 544CH 544BR 544BN 1500PRO 1544CH 1544BR 1544BN 1544BN 1544BR 1544BN 1544BR 1544BN 1555TT/550PRO 1555TT/550PRO 1555TT/1550PRO 1500TT 600 E4	9525C Church 400 1400 540TT 585TT 540EC 585EC 540TT 960 585TT 1960 585TT 1960 595 3000TT 640 685	EMB601 Centoco 4300 4400 700 900	125-0355 AmSTD 5308	C1050-O Comfort C001WD C002WD U003WD U004WD C023WD C023WD C024WD C013WD C013WD C014WD C014WD C014WD C014WD C013WD-O C014WD C013WD-O C014WDS-00 C014WDS-00	K-4712-T-0 K-4649-0 K-4648-0 K-4816 K-5814 K-4716T K-4726-T K-4712-T K-4712-T K-4712-T K-4712-T K-4714-T K-4710		ML400 ML425 ML1400 ML1425 ML525EC ML1525EC ML525PRO ML1525PRO	PFTSWE1000WH PFTSWE2000WH PFTSW1000 PFTSW2000 PFTSWEC1000
PLUMBTECH Wood - CFWC, C 101 101QL 102 102QL 103 104 105 106 113 1C3R4-CH 1C3R4-CH 1C3R4-CH 1C3E4-CH 1C3E4-CH 115 116 131-00 143-00 144-00 187	1625C Bemis DFWC, Slow Close 400 1400 500TTT 1500TT 500EC 1500EC 500PRO 544CH 544BR 1500PRO 1544CH 1544BR 1544CH 1544BR 1544CH 1544BR 1544CH 1554TT/1550PRO 1555TT/1550PRO 1555TT/1550PRO 3000TT 600 E4 1600 E4 124-0200	9525C Church 400 1400 540TT 585TT 540EC 585EC 540TT 960 585TT 1960 585TT 1960 585 3000TT 640 685 124-0200	EMB601 Centoco 4300 4400 700 900 900 700SC	125-0355 AmSTD 5308	C1050-O Comfort C001WD C002WD U003WD U004WD C023WD C023WD C024WD C013WD C013WD C014WD C014WD C013WD-O C014WD-O U3000WD C013WDS-00 C014WDS-00 C014WDS-00 C014WD	K-4712-T-0 K-4649-0 K-4648-0 K-4648-0 K-4816 K-5814 K-4716T K-4716T K-4726-T K-4722-T K-4722-T K-4712-T K-4714-T K-4710 K-20455-0		ML400 ML425 ML1400 ML1425 ML525EC ML1525EC ML525PRO ML1525PRO	PFTSWE1000WH PFTSWE2000WH PFTSW1000 PFTSW2000 PFTSWEC1000
PLUMBTECH Wood - CFWC, C 101 101QL 102 102QL 103 104 105 106 113 1C3R4-CH 1C3R4-CH 1C3R4-CH 1C3E4-CH 1C3E4-CH 1C3E4-CH 115 116 131-00 143-00 144-00 187 188	1625C Bemis DFWC, Slow Close 400 1400 500TTT 1500TT 500EC 1500EC 1500PRO 544CH 544BR 1544BR 1544BR 1544CH 1544BR 1544BR 1544BR 1554TT/550PRO 1555TT/550PRO 1555TT/1550PRO 3000TT 600 E4 1600 E4 1600 E4 124-0200 124-0205	9525C Church 400 1400 540TT 585TT 540EC 585EC 540TT 960 585TT 1960 585TT 1960 585TT 1960 585 3000TT 640 685 124-0200 124-0205	EMB601 Centoco 4300 4400 700 900 900 700SC	125-0355 AmSTD 5308	C1050-O Comfort C001WD C002WD U003WD U004WD C023WD C023WD C024WD C013WD C013WD C014WD C014WD C014WD C014WD C013WD-O C014WD C013WD-O C014WDS-00 C014WDS-00	K-4712-T-0 K-4649-0 K-4648-0 K-4816 K-5814 K-4716T K-4716T K-4726-T K-4712-T K-4712-T K-4712-T K-4712-T K-4714-T K-4710 K-20455-0 K-20455-0		ML400 ML425 ML1400 ML1425 ML525EC ML1525EC ML525PRO ML1525PRO	PFTSWE1000WH PFTSWE2000WH PFTSW1000 PFTSW2000 PFTSWEC1000
PLUMBTECH Wood - CFWC, C 101 101QL 102 102QL 103 104 105 106 113 1C3R4-CH 1C3R4-CH 1C3R4-CH 1C3E4-CH 115 116 131-00 143-00 143-00 144-00 187 188 153	1625C Bemis DFWC, Slow Close 400 1400 500TTT 1500TT 500EC 1500EC 500PRO 544CH 544BR 544BR 1500PRO 1544CH 1544BR 1544BR 1544BR 1544BR 1550PRO 1555TT/1550PRO 1555TT/1550PRO 3000TT 600 E4 124-0200 124-0205 9170PLE4	9525C Church 400 1400 540TT 585TT 540EC 585EC 540TT 960 585TT 1960 585TT 1960 585 3000TT 640 685 124-0200	EMB601 Centoco 4300 4400 700 900 900 700SC	125-0355 AmSTD 5308	C1050-O Comfort C001WD C002WD U003WD U004WD C023WD C023WD C024WD C013WD C013WD C014WD C014WD C013WD-O C014WD-O U3000WD C013WDS-00 C014WDS-00 C014WDS-00 C014WD	K-4712-T-0 K-4649-0 K-4648-0 K-4648-0 K-4816 K-5814 K-4716T K-4716T K-4726-T K-4722-T K-4722-T K-4712-T K-4714-T K-4710 K-20455-0		ML400 ML425 ML1400 ML1425 ML525EC ML1525EC ML525PRO ML1525PRO	PFTSWE1000WH PFTSWE2000WH PFTSW1000 PFTSW2000 PFTSWEC1000
PLUMBTECH Wood - CFWC, C 101 101QL 102 102QL 103 104 105 106 113 1C3R4-CH 1C3R4-CH 1C3E4-CH 1C3E4-CH 1C3E4-CH 1C3E4-CH 115 116 131-00 143-00 144-00 187 188 153 1C3R6-00CH	1625C Bemis DFWC, Slow Close 400 1400 500TTT 1500TT 500EC 1500EC 1500EC 500PRO 544CH 544BR 544BR 1500PRO 1544CH 1544BR 1600 E4 1600 E4 124-0200 124-0205 12770EE4 1770EE4	9525C Church 400 1400 540TT 585TT 540EC 585EC 540TT 960 585TT 1960 585TT 1960 585 1960 595 3000TT 640 685 124-0200 124-0205 640	EMB601 Centoco 4300 4400 700 900 900 700SC	125-0355 AmSTD 5308	C1050-O Comfort C001WD C002WD U003WD U004WD C023WD C023WD C024WD C013WD C013WD C014WD C014WD C013WD-O C014WD-O U3000WD C013WDS-00 C014WDS-00 C014WDS-00 C014WD	K-4712-T-0 K-4649-0 K-4648-0 K-4648-0 K-4816 K-5814 K-4716T K-4716T K-4726-T K-4712-T K-4712-T K-4712-T K-4712-T K-4714-T K-4710 K-20455-0 K-20454-0 K-20467-0		ML400 ML425 ML1400 ML1425 ML525EC ML1525EC ML525PRO ML1525PRO	PFTSWE1000WH PFTSWE2000WH PFTSW1000 PFTSW2000 PFTSWEC1000
PLUMBTECH Wood - CFWC, C 101 101QL 102 102QL 103 104 105 106 113 1C3R4-CH 1C3R4-CH 1C3E4-CH 1C3E4-CH 1C3E4-CH 115 116 131-00 143-00 143-00 144-00 187 188 153 1C3R6-00CH 154	1625C Bemis DFWC, Slow Close 400 1400 500TTT 1500TT 500EC 1500EC 500PRO 544CH 544BR 1500PRO 1544CH 1544BR 1504BR 1544BR 1544BR 1544BR 1544BR 1544BR 1544BR 1544BR 1544CH 154CC 1555TT/1550CH 160CC 147CC 160CC	9525C Church 400 1400 540TT 585TT 540EC 585EC 540TT 960 585TT 1960 585TT 1960 585TT 1960 585 3000TT 640 685 124-0200 124-0205	EMB601 Centoco 4300 4400 700 900 900 700SC	125-0355 AmSTD 5308	C1050-O Comfort C001WD C002WD U003WD U004WD C023WD C023WD C024WD C013WD C013WD C014WD C014WD C013WD-O C014WD-O U3000WD C013WDS-00 C014WDS-00 C014WDS-00 C014WD	K-4712-T-0 K-4649-0 K-4648-0 K-4816 K-5814 K-4716T K-4716T K-4726-T K-4712-T K-4712-T K-4712-T K-4712-T K-4714-T K-4710 K-20455-0 K-20455-0		ML400 ML425 ML1400 ML1425 ML525EC ML1525EC ML525PRO ML1525PRO	PFTSWE1000WH PFTSWE2000WH PFTSW1000 PFTSW2000 PFTSWEC1000
PLUMBTECH Wood - CFWC, C 101 101QL 102 102QL 103 104 105 106 113 1C3R4-CH 1C3R4-CH 1C3R4-CH 1C3E4-CH 1C3E4-CH 115 116 131-00 143-00 144-00 187 188 153 1C3R6-00CH 154 1C3E6-00CH	1625C Bemis DFWC, Slow Close 400 1400 500TTT 1500TT 500EC 1500EC 1500EC 500PRO 544CH 544BR 544BR 1500PRO 1544CH 1544BR 1600 E4 1600 E4 124-0200 124-0205 12770EE4 1770EE4	9525C Church 400 1400 540TT 585TT 540EC 585EC 540TT 960 585TT 1960 585TT 1960 585 1960 595 3000TT 640 685 124-0200 124-0205 640	EMB601 Centoco 4300 4400 700 900 900 700SC	125-0355 AmSTD 5308	C1050-O Comfort C001WD C002WD U003WD U004WD C023WD C023WD C024WD C013WD C013WD C014WD C014WD C013WD-O C014WD-O U3000WD C013WDS-00 C014WDS-00 C014WDS-00 C014WD	K-4712-T-0 K-4649-0 K-4648-0 K-4816 K-5814 K-4716T K-4716T K-4726-T K-4712-T K-4722-T K-4712-T K-4714-T K-4710 K-20455-0 K-20455-0 K-20454-0 K-20466-0		ML400 ML425 ML1400 ML1425 ML525EC ML1525EC ML525PRO ML1525PRO	PFTSWE1000WH PFTSWE2000WH PFTSW1000 PFTSW2000 PFTSWEC1000
PLUMBTECH Wood - CFWC, C 101 101QL 102 102QL 103 104 105 106 113 1C3R4-CH 1C3R4-CH 1C3R4-CH 1C3E4-CH 1C3E4-CH 115 116 131-00 143-00 144-00 187 188 153 1C3R6-00CH 154 1C3E6-00CH 125	1625C Bemis DFWC, Slow Close 400 1400 500TTT 1500TT 500EC 1500EC 500PRO 544CH 544BR 1500PRO 1544CH 1544BR 1504BR 1544BR 1544BR 1544BR 1544BR 1544BR 1544BR 1544BR 1544CH 154CC 1555TT/1550CH 160CC 147CC 160CC	9525C Church 400 1400 540TT 585TT 540EC 585EC 540TT 960 585TT 1960 585TT 1960 585 1960 595 3000TT 640 685 124-0200 124-0205 640	EMB601 Centoco 4300 4400 700 900 900 700SC	125-0355 AmSTD 5308	C1050-O Comfort C001WD C002WD U003WD U004WD C023WD C023WD C024WD C013WD C013WD C014WD C014WD C013WD-O C014WD-O U3000WD C013WDS-00 C014WDS-00 C014WDS-00 C014WD	K-4712-T-0 K-4649-0 K-4648-0 K-4816 K-5814 K-4716T K-4716T K-4712-T K-4712-T K-4712-T K-4712-T K-4712-T K-4714-T K-4714-T K-4710 K-20455-0 K-20455-0 K-20466-0 K-4695/K4648		ML400 ML425 ML1400 ML1425 ML525EC ML1525EC ML525PRO ML1525PRO	PFTSWE1000WH PFTSWE2000WH PFTSW1000 PFTSW2000 PFTSWEC1000
PLUMBTECH Wood - CFWC, C 101 101QL 102 102QL 103 104 105 106 113 1C3R4-CH 1C3R4-CH 1C3R4-CH 1C3E4-CH 1C3E4-CH 115 116 131-00 143-00 143-00 144-00 187 188 153 1C3R6-00CH 154 1C3E6-00CH	1625C Bemis DFWC, Slow Close 400 1400 500TTT 1500TT 500EC 1500EC 500PRO 544CH 544BR 1500PRO 1544CH 1544BR 1504BR 1544BR 1544BR 1544BR 1544BR 1544BR 1544BR 1544BR 1545TT/550PRO 1555TT/1550PRO 1555TT/1550PRO 1555TT/1550PRO 124-0205 9170PLE4 9170CSLA 19170PLE4	9525C Church 400 1400 540TT 585TT 540EC 585EC 540TT 960 585TT 1960 585TT 1960 585 1960 595 3000TT 640 685 124-0200 124-0205 640	EMB601 Centoco 4300 4400 700 900 900 700SC	125-0355 AmSTD 5308	C1050-O Comfort C001WD C002WD U003WD U004WD C023WD C023WD C024WD C013WD C013WD C014WD C014WD C013WD-O C014WD-O U3000WD C013WDS-00 C014WDS-00 C014WDS-00 C014WD	K-4712-T-0 K-4649-0 K-4648-0 K-4816 K-5814 K-4716T K-4716T K-4726-T K-4712-T K-4722-T K-4712-T K-4714-T K-4710 K-20455-0 K-20455-0 K-20454-0 K-20466-0		ML400 ML425 ML1400 ML1425 ML525EC ML1525EC ML525PRO ML1525PRO	PFTSWE1000WH PFTSWE2000WH PFTSW1000 PFTSW2000 PFTSWEC1000
PLUMBTECH Wood - CFWC, C 101 101QL 102 102QL 103 104 105 106 113 1C3R4-CH 1C3R4-BN 114 1C3E4-CH 1C3E4-CH 115 116 131-00 143-00 144-00 187 188 153 1C3R6-00CH 154 1C3E6-00CH 125 126	1625C Bemis DFWC, Slow Close 400 1400 500TTT 1500TT 500EC 1500EC 500PRO 544CH 544BR 1500PRO 1544CH 1544BR 1504BR 1544BR 1544BR 1544BR 1544BR 1544BR 1544BR 1544BR 1545TT/550PRO 1555TT/1550PRO 1555TT/1550PRO 1555TT/1550PRO 124-0205 9170PLE4 9170CSLA 19170PLE4	9525C Church 400 1400 540TT 585TT 540EC 585EC 540TT 960 585TT 1960 585TT 1960 585TT 1960 585 1960 595 3000TT 640 685 124-0200 124-0205 640	EMB601 Centoco 4300 4400 700 900 900 700SC	125-0355 AmSTD 5308	C1050-O Comfort C001WD C002WD U003WD U004WD C023WD C023WD C024WD C013WD C013WD C014WD C014WD C013WD-O C014WD-O U3000WD C013WDS-00 C014WDS-00 C014WDS-00 C014WD	K-4712-T-0 K-4649-0 K-4648-0 K-4816 K-5814 K-4716T K-4716T K-4712-T K-4712-T K-4712-T K-4712-T K-4712-T K-4714-T K-4710 K-20455-0 K-20455-0 K-20466-0 K-20466-0 K-4695/K4648		ML400 ML425 ML1400 ML1425 ML525EC ML1525EC ML525PRO ML1525PRO	PFTSWE1000WH PFTSWE2000WH PFTSW1000 PFTSW2000 PFTSWEC1000
PLUMBTECH Wood - CFWC, C 101 101QL 102 102QL 103 104 105 106 113 1C3R4-CH 1C3R4-BN 114 1C3E4-CH 1C3E4-CH 115 116 131-00 143-00 144-00 187 188 153 1C3R6-00CH 154 1C3E6-00CH 125 126	1625C Bemis DFWC, Slow Close 400 1400 500TTT 1500TT 500EC 1500EC 500PRO 544CH 544BR 1500PRO 1544CH 1544BR 1504BR 1544BR 1544BR 1544BR 1544BR 1544BR 1544BR 1544BR 1545TT/550PRO 1555TT/1550PRO 1555TT/1550PRO 1555TT/1550PRO 124-0205 9170PLE4 9170CSLA 19170PLE4	9525C Church 400 1400 540TT 585TT 540EC 585EC 540TT 960 585TT 1960 585TT 1960 585TT 1960 585 1960 595 3000TT 640 685 124-0200 124-0205 640	EMB601 Centoco 4300 4400 700 900 900 700SC	125-0355 AmSTD 5308	C1050-O Comfort C001WD C002WD U003WD U004WD C023WD C023WD C024WD C013WD C013WD C014WD C014WD C013WD-O C014WD-O U3000WD C013WDS-00 C014WDS-00 C014WDS-00 C014WD	K-4712-T-0 K-4649-0 K-4648-0 K-4816 K-5814 K-4716T K-4716T K-4712-T K-4712-T K-4712-T K-4712-T K-4712-T K-4714-T K-4710 K-20455-0 K-20455-0 K-20466-0 K-20466-0 K-4695/K4648		ML400 ML425 ML1400 ML1425 ML525EC ML1525EC ML525PRO ML1525PRO	PFTSWE1000WH PFTSWE2000WH PFTSW1000 PFTSW2000 PFTSWEC1000
PLUMBTECH Wood - CFWC, C 101 101QL 102 102QL 103 104 105 106 113 1C3R4-CH 1C3R4-BN 114 1C3E4-CH 1C3E4-CH 115 116 131-00 143-00 144-00 187 188 153 1C3R6-00CH 154 1C3E6-00CH 125 126	1625C Bemis DFWC, Slow Close 400 1400 500TTT 1500TT 500EC 1500EC 500PRO 544CH 544BR 1500PRO 1544CH 1544BR 1504BR 1544BR 1544BR 1544BR 1544BR 1544BR 1544BR 1544BR 1545TT/550PRO 1555TT/1550PRO 1555TT/1550PRO 1555TT/1550PRO 124-0205 9170PLE4 9170CSLA 19170PLE4	9525C Church 400 1400 540TT 585TT 540EC 585EC 540TT 960 585TT 1960 585TT 1960 585TT 1960 585 1960 595 3000TT 640 685 124-0200 124-0205 640	EMB601 Centoco 4300 4400 700 900 900 700SC	125-0355 AmSTD 5308	C1050-O Comfort C001WD C002WD U003WD U004WD C023WD C023WD C024WD C013WD C013WD C014WD C014WD C013WD-O C014WD-O U3000WD C013WDS-00 C014WDS-00 C014WDS-00 C014WD	K-4712-T-0 K-4649-0 K-4648-0 K-4816 K-5814 K-4716T K-4716T K-4712-T K-4712-T K-4712-T K-4712-T K-4712-T K-4714-T K-4710 K-20455-0 K-20455-0 K-20466-0 K-20466-0 K-4695/K4648		ML400 ML425 ML1400 ML1425 ML525EC ML1525EC ML525PRO ML1525PRO	PFTSWE1000WH PFTSWE2000WH PFTSW1000 PFTSW2000 PFTSWEC1000
PLUMBTECH Wood - CFWC, C 101 101QL 102 102QL 103 104 105 106 113 1C3R4-CH 1C3R4-BN 114 1C3E4-CH 1C3E4-CH 115 116 131-00 143-00 144-00 187 188 153 1C3R6-00CH 154 1C3E6-00CH 125 126 193	1625C Bemis FWC, Slow Close 400 1400 500TTT 1500TT 500EC 500PRO 544CH 544BR 544BR 1500PRO 1544CH 1544BR 1544BN 1500PRO 1555TT/1550PRO 3000TT 600 E4 1600 E4 1600 E4 124-0200 124-0205 9170PLE4 9170CSLA 19170PLE4 19170CSLA	9525C Church 400 1400 540TT 585TT 540EC 585EC 540TT 960 585TT 1960 585TT 1960 585 3000TT 640 685 124-0205 640 685 124-0205 640 685	EMB601 Centoco 4300 4400 700 900 900 700SC	125-0355 AmSTD 5308	C1050-O Comfort C001WD C002WD U003WD U004WD C023WD C023WD C024WD C013WD C013WD C014WD C014WD C013WD-O C014WD-O U3000WD C013WDS-00 C014WDS-00 C014WDS-00 C014WD	K-4712-T-0 K-4649-0 K-4648-0 K-4816 K-5814 K-4716T K-4716T K-4712-T K-4712-T K-4712-T K-4712-T K-4712-T K-4714-T K-4710 K-20455-0 K-20455-0 K-20466-0 K-20466-0 K-4695/K4648		ML400 ML425 ML1400 ML1425 ML525EC ML1525EC ML525PRO ML1525PRO	PFTSWE1000WH PFTSWE2000WH PFTSW1000 PFTSW2000 PFTSWEC1000
PLUMBTECH Wood - CFWC, C 101 101QL 102 102QL 103 104 105 106 113 1C3R4-CH 1C3R4-BN 114 1C3E4-CH 1C3E4-CH 1C3E4-CH 1C3E4-CH 1C3E4-CH 115 116 131-00 143-00 144-00 187 188 153 1C3R6-00CH 154 153 1C3R6-00CH 154 125 126 193	1625C Bemis DFWC, Slow Close 400 1400 500TTT 1500TT 500EC 1500EC 500PRO 544CH 544BR 1500PRO 1544CH 1544BR 1504BR 1544BR 1544BR 1544BR 1544BR 1544BR 1544BR 1544BR 1545TT/550PRO 1555TT/1550PRO 1555TT/1550PRO 1555TT/1550PRO 124-0205 9170PLE4 9170CSLA 19170PLE4	9525C Church 400 1400 540TT 585TT 540EC 585EC 540TT 960 585TT 1960 585TT 1960 585 3000TT 640 685 124-0205 640 685 124-0205 640 685	EMB601 Centoco 4300 4400 700 900 900 700SC	125-0355 AmSTD 5308	C1050-O Comfort C001WD C002WD U003WD U004WD C023WD C023WD C024WD C013WD C013WD C014WD C014WD C013WD-O C014WD-O U3000WD C013WDS-00 C014WDS-00 C014WDS-00 C014WD	K-4712-T-0 K-4649-0 K-4648-0 K-4816 K-5814 K-4716T K-4716T K-4712-T K-4712-T K-4712-T K-4712-T K-4712-T K-4714-T K-4710 K-20455-0 K-20455-0 K-20466-0 K-20466-0 K-4695/K4648		ML400 ML425 ML1400 ML1425 ML525EC ML1525EC ML525PRO ML1525PRO	PFTSWE1000WH PFTSWE2000WH PFTSW1000 PFTSW2000 PFTSWEC1000





plumbtechseats.com bathdecorseats.com YouTube: plumbtechseats

Plumbing Technologies[™], LLC 5245 Vista Blvd., Suite F-3-339, Sparks, NV 89436

Phone 973-998-9778 | Fax 973-998-9780

PlumbTech and BathDecor toilet seats are designed, engineered, and manufactured to meet all ANSI Standards toilet measurements for the North American market. PlumbTech and BathDecor toilet seats will fit all ANSI Standard toilets engineered, designed and manufactured for the North American market including toilets manufactured by American Standard, Briggs, Crane, Caroma, Gerber, Kohler, ProFlow, Mansfield, Universal Rundle, Glacier Bay, Aqua Source, TOTO, Vortens, St. Thomas Creations, Peerless Pottery, Cato, and most store brands sold for the North American market.

November 2023