Plastic Seats Designed for Residential, Remodel and Hospitality Applications

by:

PLUMBTESH



Model 203 Round

What are the Needs and Opportunities for Residential/Builder Quality Plastic Seats?

- The residential market is always evolving and searching for ways and means to bend the cost curve while maintaining the overall quality of the final product.
- The hospitality segment has similar needs, especially for a highly durable, stylish modern design, that is easy to install and maintain, and budget friendly.
- Additionally, consumers and homeowners are more conscious than ever regarding extra styling and new features.
- Our market surveys indicate as much as 50% of new home owners are replacing the toilet seats installed by the contractor within weeks of purchasing the home.
- Nearly all bathroom remodels involve replacing the toilet seat.
- The overwhelming majority of these replacement seats are purchased in retail stores or online.
- The clear goal is to provide plumbing wholesalers with an upgrade plastic seat, with premium features that meet the consumer and contractor demands and budgets.



PLUMBTECH Model 204-00. Elongated Plastic Suggested List: \$31.00

PLUMBTECH Model 203-00. Round Front Plastic Suggested List: \$21.00







Features and Benefits of PLUMBTECH Deluxe Plastic Models 203 & 204

- Constructed of 100% virgin polypropylene-no fillers, extenders, or regrind.
- Strong & Durable injection molded, high impact, chemically resistant.
- Ergonomically designed seat ring with contour provides greater comfort and support.
- Specially designed cover resists flexing, or "oil canning".
- Corrosion proof Quik-Lok[™] POM nuts, bolts and washers.
- Vari-Adjust[™] with Lok-Down[™] adjustable hinges for a perfect, solid fit on any standard ANSI toilet bowl.
- Heavy Duty Contractor Hinge.
- Molded in bumpers for added safety and comfort.
- Easy, self aligning, top mount installation with Quik-Lok[™] hardware.
- UV Ingredient to maintain color
- Meets and exceeds ANSI Quality Standards

"Why pay the same or more, for less quality and features?"

Quik-Bk



- UP TO 6X FASTER INSTALLATION!
- Save 50% to 80% of your time-LABOR COST.
- Increased productivity install in less than a minute.

No tools necessary for installation!

Simple Fast Easy

Vari-Adjust[™] with Lok-Down[™] Adjustable Hinges



Compression "Dots" lock seat in place for added stability.

Model 203 is available in White. Model 204 is available in White and Linen/Biscuit.

Plumbing Technologies LLC, plumbtechseats.com Email: customerservice@plumbtechseats.com Phone: 973-998-9778 Fax: 973-998-9780 or 973-947-6458





- Call

Corrosion proof, self aligning hardware


Factory-installed "living" hinge covers

RESIDENTIAL PLASTIC

203

Seat shall be PLUMBTECH™ MODEL - 203

- Injected molded durable polypropylene plastic with UV protection
- Round closed front with cover
- Molded in bumpers
- Corrosion proof nuts, bolts and washers
- Top mount design
- Accepts 304 stainless steel 200HPSS mounting hardware
- Specify white -00 or black -90



PRODUCT SPECIFICATIONS

Residential

Model 203 - For ANSI Standard Round Front Tollets Style: Closed Front with Cover Material: Polypropylene Plastic Hinge: Plastic Hinge Height of seat: 1 1/2" Ring Thickness: 1/2" Ring Thickness with Bumpers: 5/8" PLUMBTECH[™] plastic seats utilize high grade virgin polypropylene plastic. Complies with ANSI Standard Z124.5 Section 5.1.2









Corrosion proof, self aligning hardware



Factory-installed "living" hinge covers

RESIDENTIAL PLASTIC

204

Seat shall be PLUMBTECH™ MODEL - 204

- Injected molded durable polypropylene plastic with UV protection
- Elongated closed front with cover
- Molded in bumpers
- · Corrosion proof nuts, bolts and washers
- Top mount design
- Accepts 304 stainless steel 200HPSS mounting hardware
- Specify white -00 or black -90

PRODUCT SPECIFICATIONS

Residential

Model 204 - For ANSI Standard Elongated Tollets Style: Closed Front with Cover Material: Polypropylene Plastic Hinge: Plastic Hinge Height of seat: 1 1/2" Ring Thickness: 1/2" Ring Thickness with Bumpers: 5/8" PLUMBTECH[™] plastic seats utilize high grade virgin polypropylene plastic. Complies with ANSI Standard Z124.5 Section 5.1.2