Economy Commercial Plastic Seats by:

JABLECH.

Model 407CC Elongated

Model 407SSC Elongated

What Is The Need and Opportunity for Economy Commercial Plastic Seats?

- The demand for commercially oriented toilet seats is growing at a double digit annual rate.
- Commercial seats are specified for many applications creating built in, self-perpetuating demand.
- There is a continual emphasis on improving sanitation conditions at hospitality, public space, hospital and other spaces.
- Due to increased competition at the job level, there is a need for commercial seats that meet a new price point while maintaining quality and features.
- Wholesalers are in need of competitive advantages, via special features and pricing, to grow their market share of the commercial seat market.
- The goal is to provide commercial seats that meet the expected requirements, and then go beyond with value that puts our Plumbing Wholesale partners at a competitive advantage.





Features and Benefits of PLUMBTECH Standard Duty Commercial Models of 407C

- Standard weight and design.
- Constructed of 100% virgin polypropylene-no fillers, extenders, or regrind.
- Stainless steel non-corrosive hinge post and hardware.
- Strong & Durable injection molded, high impact, chemically resistant.
- Quick-Lok[™] mounting hardware.
- Ergonomic comfort curve seat design.
- External check hinge holds seat at 11 degrees beyond vertical.
- Hinges are under seat to minimize pinching.
- Built in mounting hole spacer for a secure, stable mount that resists loosening.
- Molded in bumpers for added safety and comfort.
- UV Ingredient to maintain color
- Meets and exceeds ANSI Quality Standards
- 407SSC is self-sustaining.

"Why pay the same or more, for less quality and features?"

Quik-Ek

UP TO 6X FASTER INSTALLATION! Save 50% to 80% of your time-LABOR COST. Increased productivity – install in less than a minute.

No tools needed for installation.

Simple Fast Easy

Models 407C and 407SSC are available in White only.

Plumbing Technologies LLC, plumbtechseats.com Email: customerservice@plumbtechseats.com Phone: 973-998-9778 Fax: 973-998-9780 or 973-947-6458



407C







External check hinge with stainless steel hinge posts




External check hinge holds seat 11 degrees beyond vertical to minimize damage to flush valve

COMMERCIAL PLASTIC

Seat shall be PLUMBTECH[™] MODEL - 407C

- Commercial elongated open front less cover
- Injection molded durable polypropylene plastic with UV protection
- External check hinge stops at 11 degrees beyond vertical
- Ergonomical comfort curve seat design
- Stainless steel non-corrosive hardware
- Built in bumpers
- Built in mounting hole spacer
- Specify white -00
- Quick-Lok[™] mounting hardware

PRODUCT SPECIFICATIONS



Commercial

Model 407C - For ANSI Standard Elongated Front Toilets Style: Open Front Less Cover Material: Polypropylene Plastic Hinge: External self-sustaining check hinge with stainless steel hardware Height of seat: N/A Ring Thickness: 7/8" Ring Thickness with Bumpers: 1" PLUMBTECH[™] plastic seats utilize high grade virgin polypropylene plastic.

Complies with ANSI Standard Z124.5 Section 5.1.2



407SSC COMMERCIAL PLASTIC







External check hinge with stainless steel hinge posts



External self sustaining check hinge holds seat 45 degrees before vertical to minimize slamming

Seat shall be PLUMBTECH™ MODEL - 407SSC

- · Commercial elongated open front less cover
- Injection molded durable polypropylene plastic with UV protection
- External check hinge stops at 11 degrees beyond vertical
- External self-sustaining hinge holds at 45 degrees before vertical
- Ergonomical comfort curve seat design
- · Stainless steel non-corrosive hardware
- · Built in bumpers
- · Built in mounting hole bushing
- Self-sustaining hinge to minimize slamming and risk of cracked bowl
- · Quik-Lok mounting hardware

PRODUCT SPECIFICATIONS

Commercial

Model 407SSC - For ANSI Standard Elongated Front Toilets Style: Open Front Less Cover Material: Polypropylene Plastic Hinge: External self-sustaining check hinge with series stainless steel hardware Height of seat: N/A Ring Thickness: 1" Ring Thickness with Bumpers: 7/8" PLUMBTECH[™] plastic seats utilize high grade virgin polypropylene plastic. Complies with ANSI Standard Z124.5 Section 5.1.2

