Heavy Duty Commercial Plastic Seats by:


PLUMBTESH

Model 421C Elongated

Model 421SSC Elongated

What Is The Need and Opportunity for Heavy Duty Commercial Plastic Seats?

- The demand for commercially oriented toilet seats is growing at a double digit annual rate.
- Commercial seats are specified for many applications creating built in, self-perpetuating demand.
- There is a continual emphasis on improving sanitation conditions at hospitality, public space, hospital and other spaces.
- Due to the demand for extra durable and secure applications, there is a critical need for commercial seats that meet a higher standard.
- Wholesalers are in need of competitive advantages, via special features and pricing, to grow their market share of the commercial seat market.
- The goal is to provide Plumbing Wholesalers with heavy duty commercial seats, that meet the expected requirements, and then go beyond with features that differentiate their offering.



Features and Benefits of PLUMBTECH Heavy Duty Commercial Models of 421C

- Heavy Duty weight and design.
- Constructed of 100% virgin polypropylene-no fillers, extenders, or regrind.
- 304 grade stainless steel hinge post and hardware.
- Strong & Durable injection molded, high impact, chemically resistant.
- Ergonomic comfort curve designed seat ring with contour provides greater comfort and support.
- External check hinge holds seat at 11 degrees beyond vertical.
- Hinges are under seat to minimize pinching
- Anti-skid rubberized bushing/washer prevents
- movement and loosening of seat
- Molded in bumpers for added safety and comfort.
- UV Ingredient to maintain color
- Meets and exceeds ANSI Quality Standards
- 421SSC is self-sustaining
- 421SSC AM contains an anti-microbial agent
- 421SSC FR contains a fire retardant additive.
- 421SSC AMFR contain the anti-microbial and fire retardant additives.

"Why pay the same or more, for less quality and features?"

421C Series of Heavy Duty Elongated

Commercial Seats

ANTI-SKID & **MOVEMENT BUSHING**

fills hole to minimize movement that causes seats to become loose. Concentric for perfect alignment of seat on bowl.



the toilet seat & minimizes loosening







Model 421C is available in White only. Model 421SSC is available in White, Bone, Linen/Biscuit and Black. Models 421SSC AM, 421SSC FR and 421SSC AMFR are available in white only.

Plumbing Technologies LLC, plumbtechseats.com Email: customerservice@plumbtechseats.com Phone: 973-998-9778 Fax: 973-998-9780 or 973-947-6458





External check hinge with 304 stainless steel hinge posts




External check hinge holds seat 11 degrees beyond vertical to minimize damage to flush valve

COMMERCIAL PLASTIC

Seat shall be PLUMBTECH™ MODEL - 421C

- Commercial elongated open front less cover
- Injection molded durable polypropylene plastic with UV protection
- External check hinge stops at 11 degrees beyond vertical
- · Ergonomical comfort curve seat design
- 304 stainless steel non-corrosive hardware
- Built in bumpers
- · Non-skid rubberized pad
- Hinges are under seat to minimize pinching
- Specify white -00

PRODUCT SPECIFICATIONS



Commercial

Model 421C - For ANSI Standard Elongated Front Toilets

Style: Open Front Less Cover Material: Polypropylene Plastic

Hinge: External self-sustaining check hinge with 304 series stainless steel hardware

Height of seat: N/A Ring Thickness: 1"

Ring Thickness with Bumpers: 7/8"

PLUMBTECH™ plastic seats utilize high grade virgin polypropylene plastic.

Complies with ANSI Standard Z124.5 Section 5.1.2

PLUMBTECH"





External check hinge with 304 stainless steel hinge posts




External self sustaining check hinge holds seat 45 degrees before vertical to minimize slamming

COMMERCIAL PLASTIC

Seat shall be PLUMBTECH™ MODEL - 421SSC

- · Commercial elongated open front less cover
- Injection molded durable polypropylene plastic with UV protection
- External check hinge stops at 11 degrees beyond vertical
- External self-sustaining hinge holds at 45 degrees before vertical
- · Ergonomical comfort curve seat design
- 304 stainless steel non-corrosive hardware
- Built in bumpers
- Non-skid rubberized pad
- Hinges are under seat to minimize pinching
- Specify white -00, bone -01, biscuit -02, or black -90

PRODUCT SPECIFICATIONS



Commercial

Model 421SSC - For ANSI Standard Elongated Front Toilets

Style: Open Front Less Cover Material: Polypropylene Plastic

Hinge: External self-sustaining check hinge with 304 series stainless steel hardware

Height of seat: N/A Ring Thickness: 1"

Ring Thickness with Bumpers: 7/8"

PLUMBTECH™ plastic seats utilize high grade virgin polypropylene plastic. Complies with ANSI Standard Z124.5 Section 5.1.2



421SSC-00AM

COMMERCIAL PLASTIC





External check hinge with 304 stainless steel hinge posts




External self sustaining check hinge holds seat 45 degrees before vertical to minimize slamming

Seat shall be PLUMBTECH™ MODEL - 421SSC-00AM

- Commercial elongated open front less cover
- Contains antimicrobial ingredient to retard growth of odor and stain causing bacteria
- Injection molded durable polypropylene plastic with UV protection
- External check hinge stops at 11 degrees beyond vertical
- External self-sustaining hinge holds at 45 degrees before vertical
- Ergonomical comfort curve seat design
- 304 stainless steel non-corrosive hardware
- · Built in bumpers
- · Non-skid rubberized pad
- · Hinges are under seat to minimize pinching
- · Specify white -00

PRODUCT SPECIFICATIONS



Commercial

Model 421SSC-00AM - For ANSI Standard Elongated Front Toilets

Style: Open Front Less Cover Material: Polypropylene Plastic

Hinge: External self-sustaining check hinge with 304 series stainless steel hardware

Height of seat: N/A Ring Thickness: 1"

Ring Thickness with Bumpers: 7/8"

PLUMBTECH™ plastic seats utilize high grade virgin polypropylene plastic.

Complies with ANSI Standard Z124.5 Section 5.1.2

PLUMBTESH" 421SSC-00AMFR





External check hinge with 304 stainless steel hinge posts




External self sustaining check hinge holds seat 45 degrees before vertical to minimize slamming

COMMERCIAL PLASTIC

Seat shall be PLUMBTECH™ MODEL - 421SSC-00AMFR

- · Commercial elongated open front less cover
- Contains fire retardant to meet 94VO flammability rating
- Contains antimicrobial ingredient to retard growth of odor and stain causing bacteria
- Injection molded durable polypropylene plastic with UV protection
- External check hinge stops at 11 degrees beyond vertical
- External self-sustaining hinge holds at 45 degrees before vertical
- Ergonomical comfort curve seat design
- 304 stainless steel non-corrosive hardware
- Built in bumpers
- · Non-skid rubberized pad
- · Hinges are under seat to minimize pinching
- Specify white -00

PRODUCT SPECIFICATIONS



Commercial

Model 421SSC-00AMFR - For ANSI Standard Elongated Front Toilets

Style: Open Front Less Cover Material: Polypropylene Plastic

Hinge: External self-sustaining check hinge with 304 series stainless steel hardware

Height of seat: N/A Ring Thickness: 1"

Ring Thickness with Bumpers: 7/8"

PLUMBTECH™ plastic seats utilize high grade virgin polypropylene plastic. Complies with ANSI Standard Z124.5 Section 5.1.2



421SSC-00FR

COMMERCIAL PLASTIC





External check hinge with 304 stainless steel hinge posts




External self sustaining check hinge holds seat 45 degrees before vertical to minimize slamming

Seat shall be PLUMBTECH™ MODEL - 421SSC-00FR

- · Commercial elongated open front less cover
- Contains fire retardant to meet 94VO flammability rating
- Injection molded durable polypropylene plastic with UV protection
- External check hinge stops at 11 degrees beyond vertical
- External self-sustaining hinge holds at 45 degrees before vertical
- Ergonomical comfort curve seat design
- 304 stainless steel non-corrosive hardware
- Built in bumpers
- Non-skid rubberized pad
- Hinges are under seat to minimize pinching
- · Specify white -00

PRODUCT SPECIFICATIONS



Commercial

Model 421SSC-00FR - For ANSI Standard Elongated Front Toilets

Style: Open Front Less Cover Material: Polypropylene Plastic

Hinge: External self-sustaining check hinge with 304 series stainless steel hardware

Height of seat: N/A Ring Thickness: 1"

Ring Thickness with Bumpers: 7/8"

PLUMBTECH™ plastic seats utilize high grade virgin polypropylene plastic. Complies with ANSI Standard Z124.5 Section 5.1.2