

by:

PLUMBTESH

Model 423C Elongated

Model 423SSC Elongated

What Is The Need and Opportunity for Premium Commercial Plastic Seats with Sanitary Lift Handles?

- The demand for commercially oriented toilet seats is growing at a double digit annual rate.
- Commercial seats are specified for many applications creating built in, self-perpetuating demand.
- There is a continual emphasis on improving sanitation conditions at hospitality, public space, hospital and other spaces.
- Due to the Covid impact, there is more awareness and demand than ever for design features that might provide additional separation from potentially contaminated surfaces.
- Wholesalers are in need of competitive advantages, via special features and pricing, to grow their market share of the commercial seat market.
- The goal is to provide Plumbing Wholesalers with premium plastic commercial seats, that meet the expected requirements, and then go beyond with features that differentiate their offering.



Features and Benefits of PLUMBTECH Slow Close Models 423C & 423SSC

- Lift handles for ease of opening and closing seat.
- Design funnels liquids off of handles.
- Constructed of 100% virgin polypropylene-no fillers, extenders, or regrind.
- 304 grade stainless steel hinge post and hardware.
- Strong & Durable injection molded, high impact, chemically resistant.
- Ergonomic comfort curve designed seat ring with contour provides greater comfort and support.
- External check hinge holds seat at 11 degrees beyond vertical.
- Hinges are under seat to minimize pinching, and provide a sleek appearance.
- Molded in bumpers for added safety and comfort.
- UV Ingredient to maintain color
- Model 423SSC features an external self-sustaining hinge which holds the seat at 45 degrees before vertical.
- Meets and exceeds ANSI Quality Standards

423C/423SSC Elongated Commercial Seat with Lift Handles

No one wants to place their hand under the seat to lift it!





Lift Handles - easily lift the seat with the side of your shoe or tissue







Use A Piece Of Tissue

Models 423C & 423SSC are available in White only.

Plumbing Technologies LLC, plumbtechseats.com Email: customerservice@plumbtechseats.com Phone: 973-998-9778 Fax: 973-998-9780 or 973-947-6458





External check hinge with 304 stainless steel hinge posts




External check hinge holds seat 11 degrees beyond vertical to minimize damage to flush valve

COMMERCIAL PLASTIC

Seat shall be PLUMBTECH™ MODEL - 423C

- Commercial elongated open front less cover
- Lift handles for ease of opening and closing seat. Design funnels liquids off of handle.
- Injection molded durable polypropylene plastic with UV protection
- External check hinge stops at 11 degrees beyond vertical
- Ergonomical comfort curve seat design
- 304 stainless steel non-corrosive hardware
- Built in bumpers
- Non-skid rubberized pad
- Hinges are under seat to minimize pinching
- Specify white -00

PRODUCT SPECIFICATIONS



Commercial

Model 423C - For ANSI Standard Elongated Front Toilets

Style: Open Front Less Cover Material: Polypropylene Plastic

Hinge: External self-sustaining check hinge with 304 series stainless steel hardware

Height of seat: N/A Ring Thickness: 1"

Ring Thickness with Bumpers: 7/8"

PLUMBTECH™ plastic seats utilize high grade virgin polypropylene plastic.

Complies with ANSI Standard Z124.5 Section 5.1.2

PLUMBTECH"





External check hinge with 304 stainless steel hinge posts




External self sustaining check hinge holds seat 45 degrees before vertical to minimize slamming

COMMERCIAL PLASTIC

Seat shall be PLUMBTECH™ MODEL - 423SSC

- Commercial elongated open front less cover
- Lift handles for ease of opening and closing seat. Design funnels liquids off of handle.
- Injection molded durable polypropylene plastic with UV protection
- External check hinge holds seat at 11 degrees beyond vertical
- External self-sustaining hinge holds at 45 degrees before vertical
- Ergonomical comfort curve seat design
- 304 stainless steel hinge post and hardware
- Built in bumpers
- Non-skid rubberized pad
- Hinges are under seat to minimize pinching
- Specify white -00

PRODUCT SPECIFICATIONS



Commercial

Model 423SSC - For ANSI Standard Elongated Front Toilets

Style: Open Front Less Cover Material: Polypropylene Plastic

Hinge: External self-sustaining check hinge with 304 series stainless steel hardware

Height of seat: N/A Ring Thickness: 1"

Ring Thickness with Bumpers: 7/8"

PLUMBTECH™ plastic seats utilize high grade virgin polypropylene plastic. Complies with ANSI Standard Z124.5 Section 5.1.2