



product.

friendly.

and budgets.

# PLUMBTESH









## Features and Benefits of PLUMBTECH Plastic Models 202 & 201

- Constructed of 100% virgin polypropylene-no fillers, extenders, or regrind.
- Strong & Durable injection molded, high impact, chemically resistant.
- Ergonomically designed seat ring with contour provides greater comfort and support.
- Specially designed cover resists flexing, or "oil canning".
- Corrosion proof POM nuts, bolts and washers.
- Adjustable hinges for a perfect, solid fit on any standard ANSI toilet bowl.
- Top mount design.
- Molded in bumpers for added safety and comfort.
- UV Ingredient to maintain color
- Meets and exceeds ANSI Quality Standards

# Quik-BK



- UP TO 6X FASTER INSTALLATION!
- Save 50% to 80% of your time-LABOR COST.
- Increased productivity install in less than a minute.
  - No tools necessary for installation!

Simple Fast Easy

### Vari-Adjust™ with Lok-Down™ Adjustable Hinges

Compression "Dots" lock seat in place for added stability.

Model 201 is available in White.

Model 202 is available in White and Linen/Biscuit.

Both models are also available in 10 pack contractor cartons.

Plumbing Technologies LLC, plumbtechseats.com

Email: customerservice@plumbtechseats.com Phone: 973-998-9778

Fax: 973-998-9780 or 973-947-6458





Corrosion proof, selfaligning hardware




Factory-installed "living" hinge covers

#### RESIDENTIAL PLASTIC

### Seat shall be PLUMBTECH™ MODEL - 201

- Injected molded durable polypropylene plastic with UV protection
- Round closed front with cover
- · Molded in bumpers
- Corrosion proof nuts, bolts and washers
- Top mount design
- Accepts 304 stainless steel 200HPSS mounting hardware
- Specify white -00

#### PRODUCT SPECIFICATIONS



Residential

Model 201 - For ANSI Standard Round Front Tollets


Style: Closed Front with Cover Material: Polypropylene Plastic

Hinge: Plastic Hinge Height of seat: 1 1/2" Ring Thickness: 1/2"

Ring Thickness with Bumpers: 5/8"

PLUMBTECH™ plastic seats utilize high grade virgin polypropylene plastic.

Complies with ANSI Standard Z124.5 Section 5.1.2





Corrosion proof, self aligning hardware




Factory-installed "living" hinge covers

#### RESIDENTIAL PLASTIC

## Seat shall be PLUMBTECH™ MODEL - 202

- Injected molded durable polypropylene plastic with UV protection
- · Elongated closed front with cover
- Molded in bumpers
- Corrosion proof nuts, bolts and washers
- Top mount design
- Accepts 304 stainless steel 200HPSS mounting hardware
- Specify white -00

#### PRODUCT SPECIFICATIONS



Residential

Model 202 - For ANSI Standard Elongated Tollets

Style: Closed Front with Cover Material: Polypropylene Plastic

Hinge: Plastic Hinge Height of seat: 1 1/2" Ring Thickness: 1/2"

Ring Thickness with Bumpers: 5/8"

PLUMBTECH™ plastic seats utilize high grade virgin polypropylene plastic.

Complies with ANSI Standard Z124.5 Section 5.1.2