Heavy Duty Commercial Plastic Seats

by:



What Is The Need and Opportunity for Heavy Duty Commercial Plastic Seats?

- The demand for commercially oriented toilet seats is growing at a double digit annual rate.
- Commercial seats are specified for many applications creating built in, self-perpetuating demand.
- There is a continual emphasis on improving sanitation conditions at hospitality, public space, hospital and other spaces.
- Due to the demand for extra durable and secure applications, there is a critical need for commercial seats that meet a higher standard.
- Wholesalers are in need of competitive advantages, via special features and pricing, to grow their market share of the commercial seat market.
- The goal is to provide Plumbing Wholesalers with heavy duty commercial seats, that meet the expected requirements, and then go beyond with features that differentiate their offering.









Features and Benefits of PLUMBTECH Heavy Duty Commercial Models of 403C

- For elongated toilets
- Heavy Duty weight and design.
- Constructed of 100% virgin polypropylene-no fillers, extenders, or regrind.
- Non corrosive hinges and mounting hardware.
- Quick-Lok[™] mounting hardware.
- Strong & Durable injection molded, high impact, chemically resistant.
- Ergonomic comfort curve designed seat ring with contour provides greater comfort and support.
- External check hinge holds seat at 11 degrees beyond vertical.
- Built in mounting hole bushing to minimize movement.
- Molded in bumpers for added safety and comfort.
- UV Ingredient to maintain color
- Meets and exceeds ANSI Quality Standards

"Why pay the same or more, for less quality and features?"

403C Heavy Duty Elongated Commercial Seats

Model 403C is available in White only.

Plumbing Technologies LLC, plumbtechseats.com Email: customerservice@plumbtechseats.com Phone: 973-998-9778 Fax: 973-998-9780 or 973-947-6458



403C










External check hinge with non-corrosive hinge posts

External check hinge stops seat 11 degrees beyond vertical to minimize damage to flush valve

Seat shall be PLUMBTECH™ MODEL - 403C

- Commercial design elongated open front less cover
- Injection molded durable polypropylene plastic with UV protection
- External check hinge stops at 11 degrees beyond vertical
- Ergonomical comfort curve seat design
- Non-corrosive hinges
- Built in bumpers
- Specify white -00
- Quick-Lok[™] mounting hardware
- Built in mounting hole bushing to minimize movement

PRODUCT SPECIFICATIONS



Commercial

Model 403C - For ANSI Standard Elongated Front Tollets Style: Open Front Less Cover Material: Polypropylene Plastic Hinge: External check hinge with non-corrosive hinge posts Height of seat: N/A Ring Thickness: 1" 7/8" Ring Thickness with Bumpers: 1" PLUMBTECH[™] plastic seats utilize high grade virgin polypropylene plastic. Complies with ANSI Standard Z124.5 Section 5.1.2